

Package: ermoji (via r-universe)

October 20, 2026

Title RStudio Addin to Search and Copy Emoji

Version 0.2.0

Description RStudio addin to search through emoji and copy the emoji name, unicode string or glyph to the clipboard.

License MIT + file LICENSE

URL <https://github.com/gadenbuie/emojii>

BugReports <https://github.com/gadenbuie/emojii/issues>

Imports clipr, DT, emo, miniUI, rstudioapi, shiny

Remotes hadley/emo

ByteCompile true

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

Config/pak/sysreqs cmake make libicu-dev libuv1-dev libx11-dev zlib1g-dev

Repository <https://gadenbuie.r-universe.dev>

Date/Publication 2026-07-22 22:25:44 UTC

RemoteUrl <https://github.com/gadenbuie/emojii>

RemoteRef main

RemoteSha 5625195acb2891a782a1e2137498e22d10cc2094

Contents

emojii_picker	2
emojii2html	2
emojii	3

Index	4
--------------	----------

`emoji_picker`*Emoji Picker*

Description

An emoji picker gadget that lets you search and find emoji and insert either the unicode, HTML, or `emo::ji()` versions of the emoji. Built using the **Emoji Button** JavaScript library.

Usage

```
emoji_picker(gadget = TRUE)
```

Arguments

<code>gadget</code>	If TRUE the app is run as a gadget, otherwise it's run as a standalone app.
---------------------	---

Value

A list with the emoji, the emoji name and the html entity.

`emoji2html`*Convert Emoji to HTML*

Description

Uses `emo::ji()` to look up emoji, but return the escaped HTML.

Usage

```
emoji2html(x, copy = clipr::clipr_available())
```

Arguments

<code>x</code>	A search term passed to <code>emo::ji()</code> or the result of <code>emo::ji()</code> .
<code>copy</code>	Should the result be copied to the clipboard?

emoji	<i>The emoji emoji gadget</i>
-------	-------------------------------

Description

Opens a miniUI based Shiny gadget in the RStudio Viewer pane with a searchable table of emoji. Select a row and click the copy desired button.

Usage

```
emoji_gadget(clipout = clipr::clipr_available(), ...)
```

```
emoji_shiny(clipout = clipr::clipr_available(), ...)
```

Arguments

clipout	Should the gadget attempt to write to the clipboard?
...	Ignored at this time

Value

nothing

Index

`emo::ji()`, [2](#)
`emoji2html`, [2](#)
`emoji_picker`, [2](#)
`eremoji`, [3](#)
`eremoji_gadget(eremoji)`, [3](#)
`eremoji_shiny(eremoji)`, [3](#)